FEBS Letters 341 (1994) 312–313

Contents to volume 341

Minireview

Cytochrome oxidase evolved by tinkering with denitrification enzymes (FEBS 13743) *M. Saraste, J. Castresana* 1

Hypothesis

Photophobic responses and phototaxis in *Chlamydomonas* are triggered by a single rhodopsin photoreceptor (FEBS 13714) *P. Kröger, P. Hegemann* 5

Research Letters

Flash-induced electrogenic reactions in the SA(L223) reaction center mutant in *Rhodobacter sphaeroides* chromatophores (FEBS 13724) *S.I. Bibikov, D.A. Bloch, D.A. Cherepanov, D. Oesterhelt, A.Y. Semenov* 10

The molten globule is a third thermodynamical state of protein molecules (FEBS 13726) *O.B. Ptitsyn, V.N. Uversky* 15

Curcumin is a non-competitive and selective inhibitor of phosphorylase kinase (FEBS 13732) *S. Reddy, B.B. Aggarwal* 19

Prothymosin α receptors on peripheral blood mononuclear cells (FEBS 13736) *O.J. Cordero, C. Sarandeses, M. Nogueira* 23

pH-dependent interaction of an intraluminal loop of inositol 1,4,5-trisphosphate receptor with chromogranin A (FEBS 13746) *S.H. Yoo, M.S. Lewis* 28

ORL1, a novel member of the opioid receptor family: Cloning, functional expression and localization (FEBS 13740) *C. Mollereau, M. Parmentier, P. Mailleux, J.-L. Butour, C. Moisand, P. Chalon, D. Caput, G. Vassart, J.-C. Meunier* 33

Phosphate-activated glutaminase expression during tumor development (FEBS 13749) *J.C. Aledo, J.A. Segura, M.A. Medina, F.J. Alonso, I.N. de Castro, J. Márquez* 39

Expression and characterization of VIP and two VIP mutants in NIH 3T3 cells (FEBS 13750) *B.S. Wulff, B. Georg, J. Fahrenkrug* 43

Human immunodeficiency virus uses $tRNA^{Lys,3}$ as primer for reverse transcription in HeLa-$CD4^+$ cells (FEBS 13748) *A.T. Das, S.E.C. Koken, B.B.O. Essink, J.L.B. van Wamel, B. Berkhout* 49

The thrombospondin-like chains of cartilage oligomeric matrix protein are assembled by a five-stranded α-helical bundle between residues 20 and 83 (FEBS 13751) *V.P. Efimov, A. Lustig, J. Engel* 54

Oxidative DNA base damage and antioxidant enzyme activities in human lung cancer (FEBS 13752) *P. Jaruga, T.H. Zastawny, J. Skokowski, M. Dizdaroglu, R. Olinski* 59

Kinetics of nitric oxide and hydrogen peroxide production and formation of peroxynitrite during the respiratory burst of human neutrophils (FEBS 13754) *M.C. Carreras, G.A. Pargament, S.D. Catz, J.J. Poderoso, A. Boveris* 65

Low density lipoprotein oxidizability by copper correlates to its initial ubiquinol-10 and polyunsaturated fatty acid content (FEBS 13753) *A. Kontush, C. Hübner, B. Finckh, A. Kohlschütter, U. Beisiegel* 69

The binding of natural variants of human factor IX to endothelial cells (FEBS 13755) *M. Mayhew, P. Handford, G.G. Brownlee* 74

The crystal structure of human CskSH3: structural diversity near the RT-Src and n-Src loop (FEBS 13733) *T.V. Borchert, M. Mathieu, J.P. Zeelen, S.A. Courtneidge, R.K. Wierenga* 79

Amiodarone-induced hypercholesterolemia is associated with a decrease in liver LDL receptor mRNA (FEBS 13761) *F. Hudig, O. Bakker, W.M. Wiersinga* 86

Effects of L-carnitine on the pyruvate dehydrogenase complex and carnitine palmitoyl transferase activities in muscle of endurance athletes (FEBS 13768) *J. Arenas, R. Huertas, Y. Campos, A.E. Díaz, J.M. Villalón, E. Vilas* 91

Dephosphorylation of microtubule-associated protein tau by protein phosphatase-1 and -2C and its implication in Alzheimer disease (FEBS 13756) *C.-X. Gong, I. Grundke-Iqbal, Z. Damuni, K. Iqbal* 94

Inhibition of Moloney murine leukemia virus replication by tyrphostins, tyrosine kinase inhibitors (FEBS 13757) *A. Esther, S. Iftach, P. Esther* 99

Mutagenesis of Phe^{381} and Phe^{382} in the extracellular domain of the insulin receptor: effects on receptor biosynthesis, processing, and ligand-dependent internalization (FEBS 13758) *D. Accili, L. Mosthaf, R. Levy-Toledano, A. Ullrich, S.I. Taylor* 104

Progesterone increases the production of tissue inhibitor of metalloproteinases-2 in rabbit uterine cervical fibroblasts (FEBS 13772) *K. Imada, A. Ito, Y. Itoh, H. Nagase, Y. Mori* 109

Phosphoinositide 3-phosphatase segregates from phosphatidylinositol 3-kinase in EGF-stimulated A431 cells and fails to in vitro hydrolyse phosphatidylinositol(3,4,5)*tris*phosphate (FEBS 13773) *B. Payrastre, D. Gironcel, M. Plantavid, G. Mauco, M. Breton, H. Chap* 113

The threonine residues in MAP kinase kinase 1 phosphorylated by MAP kinase in vitro are also phosphorylated in nerve growth factor-stimulated rat phaeochromocytoma (PC12) cells (FEBS 13759) *Y. Saito, N. Gomez, D.G. Campbell, A. Ashworth, C.J. Marshall, P. Cohen* 119

Mechanisms of stimulus-evoked intracellular acidification in frog nerve fibres (FEBS 13776) *B. Khodorov, O. Valkina, V. Turovetsky* 125

Inhibitor analysis of calf thymus DNA polymerases α, δ and ε (FEBS 13782) *G.E. Wright, U. Hübscher, N.N. Khan, F. Focher, A. Verri* 128

Expression and stability of recombinant RQ-mRNAs in cell-free translation systems (FEBS 13777) *V.I. Ugarov, I.Y. Morozov, G.Y. Jung, A.B. Chetverin, A.S. Spirin* 131

An unusual metal-binding cluster found exclusively in the avian breast muscle troponin T of *Galliformes* and *Craciformes* (FEBS 13780) *J.-P. Jin, L.B. Smillie* 135

Minireview

How does NO activate hemeproteins? (FEBS 13799) *A.-l. Tsai* 141

Hypothesis

The chaperone connection to the origins of the eukaryotic organelles (FEBS 13801) *A.M. Viale, A.K. Arakaki* 146

Research Letters

The molecular chaperone TF55: Assesment of symmetry (FEBS 13781) *S. Marco, D. Ureña, J.L. Carrascosa, T. Waldmann, J. Peters, R. Hegerl, G. Pfeifer, H. Sack-Kongehl, W. Baumeister* 152

Molecular analysis of the IL-6 receptor in human multiple myeloma, an IL-6-related disease (FEBS 13783) *C. Rodriguez, C. Theillet, M. Portier, R. Bataille, B. Klein* 156

The first cytoplasmic loop of the thyrotropin receptor is important for phosphoinositide signaling but not for agonist-induced adenylate cyclase activation (FEBS 13792) *S. Kosugi, T. Mori* 162

The three-dimensional structure of the complex of proteinase K with its naturally occurring protein inhibitor, PKI3 (FEBS 13760) *G.P. Pal, C.A. Kavounis, K.D. Jany, D. Tsernoglou* 167

Drosophila lebanonensis ADH: analysis of recombinant wild-type enzyme and site-directed mutants: The effect of restoring the consensus sequence in two positions (FEBS 13785) *R. Albalat, S. Atrian, R. Gonzàlez-Duarte* 171

Induction of aromatase in stromal vascular cells from human breast adipose tissue depends on cortisol and growth factors (FEBS 13797) *M. Schmidt, G. Löffler* 177

cDNA cloning, expression and primary structure of *Par j* I, a major allergen of *Parietaria judaica* pollen (FEBS 13807) *M.A. Costa, P. Colombo, V. Izzo, H. Kennedy, S. Venturella, R. Cocchiara, G. Mistrello, P. Falagiani, D. Geraci* 182

Both interleukin-8 receptors independently mediate chemotaxis: Jurkat cells transfected with IL-8R1 or IL-8R2 migrate in response to IL-8, GROα and NAP-2 (FEBS 13809) *P. Loetscher, M. Seitz, I. Clark-Lewis, M. Baggiolini, B. Moser* 187

PRE3, highly homologous to the human major histocompatibility complex-linked *LMP2* (*RING12*) gene, codes for a yeast proteasome subunit necessary for the peptidylglutamyl-peptide hydrolyzing activity (FEBS 13812) *C. Enenkel, H. Lehmann, J. Kipper, R. Gückel, W. Hilt, D.H. Wolf* 193

Unique cleavage specificity of 'prohormone thiol protease' related to proenkephalin processing (FEBS 13774) *A.V. Azaryan, V.Y.H. Hook* 197

Exogenous N^G-hydroxy-L-arginine causes nitrite production in vascular smooth muscle cells in the absence of nitric oxide synthase activity (FEBS 13813) *C.A. Schott, C.M. Bogen, P. Vetrovsky, C.C. Berton, J.C. Stoclet* 203

Protein kinase-C mediates dual modulation of L-type Ca^{2+} channels in human vascular smooth muscle (FEBS 13815) *K. Schuhmann, K. Groschner* 208

Localization of disulfide bridges and free sulfhydryl groups in human eosinophil granule major basic protein (FEBS 13816) *C. Oxvig, G.J. Gleich, L. Sottrup-Jensen* 213

Radioimmunoassay for circulating human guanylin (FEBS 13779) *M. Kuhn, H. Kulaksiz, K. Adermann, G. Rechkemmer, W.-G. Forssmann* 218

Yeast cells with a specific cellular make-up and an environment that removes acetaldehyde are prone to sustained glycolytic oscillations (FEBS 13778) *P. Richard, J.A. Diderich, B.M. Bakker, B. Teusink, K. van Dam, H.V. Westerhoff* 223

Phosphorylation by Ca^{2+}/calmodulin-dependent protein kinase II and protein kinase C of sepiapterin reductase, the terminal enzyme in the biosynthetic pathway of tetrahydrobiopterin (FEBS 13784) *S. Katoh, T. Sueoka, Y. Yamamoto, S.Y. Takahashi* 227

The functional roles of disulfide bonds in the β-subunit of (Na,K)ATPase as studied by site-directed mutagenesis (FEBS 13790) *S. Noguchi, Y. Mutoh, M. Kawamura* 233

A porcine gut polypeptide identical to the pancreatic hormone PP (pancreatic polypeptide) (FEBS 13786) *Z.-w. Chen, T. Bergman, C.-G. Östenson, A. Höög, J. Näslund, Å. Norberg, M. Carlquist, S. Efendic, V. Mutt, H. Jörnvall* 239

Effect of sialic acid removal on the antibody response to the third variable domain of human immunodeficiency virus type-1 envelope glycoprotein (FEBS 13791) *A. Benjouad, K. Mabrouk, J.C. Gluckman, E. Fenouillet* 244

A carotenogenic gene cluster exists on a large plasmid in *Thermus thermophilus* (FEBS 13793) *K. Tabata, S. Ishida, T. Nakahara, T. Hoshino* 251

β-Cyclodextrin interacts with the Alzheimer amyloid β-A4 peptide (FEBS 13794) *P. Camilleri, N.J. Haskins, D.R. Howlett* 256

The oxidation of low density lipoprotein by cells or iron is inhibited by zinc (FEBS 13795) *G.M. Wilkins, D.S. Leake* 259

Ascorbic acid can either increase or decrease low density lipoprotein modification (FEBS 13796) *S.E. Stait, D.S. Leake* 263

Immunocytochemical localization of Ca^{2+}-dependent protease from *Allomyces arbuscula* (FEBS 13798) *D. Huber, M. Ojha* 268

Effect of glutathione depletion on formation of paramagnetic chromium in Chinese hamster V-79 cells (FEBS 13802) *M. Sugiyama, K. Tsuzuki* 273

Aequorea green fluorescent protein: Expression of the gene and fluorescence characteristics of the recombinant protein (FEBS 13817) *S. Inouye, F.I. Tsuji* 277

The membrane proteins TRAMp and sec61αp may be involved in post-translational transport of presecretory proteins into mammalian microsomes (FEBS 13814) *P. Klappa, M. Zimmermann, R. Zimmermann* 281

Immunoreactive adrenomedullin in human plasma (FEBS 13818) *K. Kitamura, Y. Ichiki, M. Tanaka, M. Kawamoto, J. Emura, S. Sakakibara, K. Kangawa, H. Matsuo, T. Eto* 288

A novel prenyltransferase, farnesylgeranyl diphosphate synthase, from the haloalkaliphilic archaeon, *Natronobacterium pharaonis* (FEBS 13775) *A. Tachibana* 291

Partial restoration of the actin cytoskeleton in transformed Syrian hamster fibroblasts selected for low levels of 'typical' multidrug resistance (FEBS 13804) *M.V. Erokhina, A.A. Shtil, S.S. Shushanov, T.A. Sidorova, A.A. Stavrovskaya* 295

Changes of the expression of protein substrates of Ca^{2+}/calmodulin-dependent protein kinase II in neonate and adult rats (FEBS 13827) *H. Sugiura, T. Yamauchi* 299

Molecular cloning, functional expression and localization of a novel inward rectifier potassium channel in the rat brain (FEBS 13826) *H. Koyama, K.-I. Morishige, N. Takahashi, J.S. Zanelli, D.N. Fass, Y. Kurachi* 303

Author index to volume 341 308

Contents to volume 341 312